



E-Cigarette Policy Review Taskforce
Executive Summary of Recommendations and Rationale
April 2016

Recommendation: The Taskforce recommends that e-cigarettes be added to the list of tobacco- and nicotine-containing products that are prohibited from campus and from University activities and its vehicles.

Supporting Reasons/Evidence:

1. E-cigarettes may compromise the health and well-being of students, faculty, staff and community members who use them as well as those who are exposed to their vapors.
 - In addition to nicotine, e-cigarettes contain a variety of chemicals and additives, most of which have not been evaluated for lung toxicity (Allen et al., 2015).
 - Nicotine can be transferred to bystanders by passive exposure to e-cigarette vapor (Flouris et al., 2013).
 - The transfer of any odorant can negatively impact bystanders with pre-existing lung conditions, such as individuals with asthma (Lim, et al., 2014; Jaén & Dalton, 2014).
 - The medical community is concerned that e-cigarettes are being perceived as safe and as an effective smoking cessation mechanism, when supporting data are absent or inconsistent (Schraufnagel, 2015).
2. E-cigarettes are not proven to be a safe and effective method for quitting smoking.
 - Scientific evidence contradicts claims that e-cigarettes are a safe and effective smoking cessation tool (Schraufnagel et al., 2014; Brose et al., 2015).
 - Unlike e-cigarettes, FDA-approved nicotine replacement therapies, including transdermal nicotine patches and nicotine gum, have been shown to be effective and do not cause harm to users or bystanders (Moore et al., 2009; Silagy et al., 2004).
3. E-cigarette use by youth is a significant public health concern.
 - College students who use e-cigarettes are more likely to smoke cigarettes later (Sutfin et al., 2015).
 - E-cigarette use by college students is linked to other risky behaviors, including heavy drinking (Littlefield et al., 2015) and marijuana use (Saddleson et al., 2015).
 - E-cigarettes provide a convenient delivery method for vaporizing other substances, including cannabis (Morean et al., 2015).
 - E-cigarette usage may renormalize smoking as an acceptable behavior (Nichter, 2015).
4. E-cigarette use hinders enforcement of University tobacco and drug policies.
 - It is currently difficult to enforce the tobacco policy because it is difficult to distinguish traditional cigarettes from e-cigarettes.
 - When e-cigarettes are used to vaporize cannabis (Morean et al., 2015), the University's ability to comply with federal Drug-Free Campus requirements is compromised.

5. A growing number of colleges and universities prohibit the use of e-cigarettes on campus. To date, 11 out of 15 ABOR-identified peer universities have banned e-cigarette use.

6. Numerous health organizations recommend including e-cigarettes in smoke and tobacco-free policies. Some organizations are the American College Health Association, American Lung Association, American Academy of Pediatrics, and American Heart Association.

Taskforce Members:

Christian Bime, M.D., MSc
Assistant Professor, Medicine
College of Medicine

Scott Boitano, Ph.D.
Professor, Physiology
College of Medicine

Tracy Crane, M.S., R.D.
Manager Clinical Services
Arizona Smokers Helpline
Mel and Enid Zuckerman
College of Public Health

Judith S. Gordon, Ph.D.
Professor and Vice Chair for Research
Family and Community Medicine
College of Medicine

Clark Lantz, Ph.D.
Professor, Cellular & Molecular Medicine
College of Medicine

Carolyn (Carrie) J. Merkle, Ph.D.
Associate Professor
College of Nursing
Chair

Myra Muramoto, M.D., M.P.H.
Chair, Family and Community Medicine
College of Medicine

Mimi Nichter, Ph.D.
Professor, School of Anthropology
College of Social & Behavioral Sciences

Nicole Yuan, PhD, M.P.H.
Associate Professor, Health Promotion Sciences
Mel and Enid Zuckerman
College of Public Health

Executive Sponsor:

Allison M. Vaillancourt, Ph.D.
Vice President, Human Resources & Institutional
Effectiveness

References

- Allen, J. G., Flanigan, S. S., LeBlanc, M., Vallarino, J., MacNaughton, P., Stewart J. H., & Christiani, D. C. (2015). Flavoring chemicals in e-cigarettes: Diacetyl, 2,3-pentanedione, and acetoin in a sample of 51 products, including fruit-, candy-, and cocktail-flavored e-cigarettes. *Environmental Health Perspectives*. Advance online publication. doi: 10.1289/ehp.1510185
- Brose, L. S., Hitchman, S. C., Brown, J., West, R., & McNeill, A. (2015). Is the use of electronic cigarettes while smoking associated with smoking cessation attempts, cessation and reduced cigarette consumption? A survey with a 1-year follow-up. *Addiction*, *110*, 1160-1168. doi: 10.1111/add.12917
- Flouris, A. D., Chorti, M. S., Poulianiti, K. P., Jamurtas, A. Z., Kostikas, K., Tzatzarakis, M. N., . . . Koutedakis, Y. (2013). Acute impact of active and passive electronic cigarette smoking on serum cotinine and lung function. *Inhalation Toxicology*, *25*, 91-101.
- Jaén, C., & Dalton, P. (2014). Asthma and odors: the role of risk perception in asthma exacerbation. *Journal of Psychosomatic Research*, *77*, 302-308. doi: 10.1016/j.jpsychores.2014.07.002. Epub 2014 Jul 12
- Lim, H. B., & Kim, S. H. (2014). Inhalation of e-cigarette solution aggravates allergen-induced airway inflammation and hyper-responsiveness in mice. *Toxicological Research*, *30*, 13-18. doi: 10.5487/TR.2014.30.1.013
- Littlefield, A. K., Gottlieb, J. C., Cohen, L. M., & Trotter, D. R. (2015). Electronic cigarette use among college students: Links to gender, race, ethnicity, smoking, and heavy drinking. *Journal of American College Health*, *63*, 523-529.
- Moore, D., Aveyard, P., Connock, M., Wang, D., Fry-Smith, A., & Barton, P. (2009). Effectiveness and safety of nicotine replacement therapy assisted reduction to stop smoking: systematic review and meta-analysis. *The BMJ*, *338*, b1024. <http://doi.org/10.1136/bmj.b1024>
- Morean, M. E., Kong, G., Camenga, D. R., & Krishnan-Sarin, S. (2015). High school students' use of electronic cigarettes to vaporize cannabis. *Pediatrics*, *136*, 611-616.
- Nichter, M. (2015) *Lighting Up: The rise of social smoking on college campuses*. New York, NY: New York University Press.
- Saddleson, M. L., Kozlowski, L. T., Giovino, G. A., Hawk, L. W., Murphy, J. M., MacLean, M. G., ...Mahoney, M. C. (2015). Risky behaviors, e-cigarette use and susceptibility of use among college students. *Drug and Alcohol Dependence*, *149*, 25-30.
- Schraufnagel, D. E. (2015). Electronic cigarettes: Vulnerability of youth. *Pediatric Allergy, Immunology, and Pulmonology*, *28* (1), 2-6. doi; 10.1089/ped.2015.0490
- Schraufnagel, D. E., Blasi, F., Drummond, M. B., Lam, D. C., Latif, E., Rosen, M. J., Forum of International Respiratory Societies. (2014). Electronic cigarettes: A position statement of the forum of international respiratory societies. *American Journal of Respiratory and Critical Care Medicine*, *190*, 611-618. doi: 10.1164/rcmm.201407-1198PP
- Silagy, C., Lancaster, T., Stead, L., Mant, D., & Fowler, G. (2004). Nicotine replacement therapy for smoking cessation. *Cochrane Database of Systematic Reviews*, 2004 (3), CD000146, doi: 10.1002/14651858.CD000146.pub2
- Sutfin, E. L., Reboussin, B. A., Debiniski, B., Wagoner, K. G., Spangler, J., & Wolfson, M. (2015). The impact of trying electronic cigarettes on cigarette smoking by college students: A prospective analysis. *American Journal of Public Health*, *105*, e83-89.